EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S4	9	((LNA or (Low adj2 noise adj2 amplif$4)) with (tun$4)) same (control$5 or adjust$5 or order$4) and (schmitt or hyster$4) and (@rlad<"20030222" or @ad<"20030222" or @ptad<"20030222")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/21 08:45
S5	269	(@rlad<"20030222" or @ad<"20030222" or @ptad<"20030222") and (LNA or (Low adj2 noise adj2 amplif$4)) and (amplif$6 with (control$5 or adjust$5 or order$4)) and (schmit or hyster$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/22 16:30
S7	109	(@rlad<"20030222" or @ad<"20030222" or @ptad<"20030222") and (LNA$4 or (Low adj2 nois$3 adj2 amplif$4)) and (amplif$6 with (control$5 or adjust$5 or order$4)) and (schmit or hyster$4) and diode and detect$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/21 16:37
S8	106	(@rlad<"20030222" or @ad<"20030222" or @ptad<"20030222") and (LNA$4 or (Low adj2 nois$3 adj2 amplif$4)) and (amplif$6 with control$5) and (schmitt or hyster$4) and diode and detect$5 and (antenna or recei$5 or transceiv$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:10
S9	88	(@rlad<"20030222" or @ad<"20030222" or @ptad<"20030222") and (LNA$4 or (Low adj2 nois$3 adj2 amplif$4)) and (amplif$6 with control$5) and (schmitt or hyster$4) and diode and (transistor or FET) and detect$5 and (antenna or recei$5 or transceiv$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:11
S10	90	(@rlad<"20030222" or @ad<"20030222" or @ptad<"20030222") and (LNA$4 or (Low adj2 nois$3 adj2 amplif$4)) and (amplif$6 with control$5) and (schmitt or hyster$4) and diode and (transistor or FET) and detect$5 and (antenna or recei$5 or transceiv$5 or RF or radio)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:17

S11	34	(@rlad<"20030222" or @ad<"20030222") and (LNA$4 or (Low adj2 nois$3 adj2 amplif$4)) and (amplif$6 with control$5) and (schmitt or hyster$4) and diode and (transistor or FET) and detect$5 and (antenna or recei$5 or transceiv$5 or RF or radio) and ("455".clas. or "375". clas. or "330".clas.)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:46
S12	1	(LNA or (Low adj2 noise adj2 amplif$4)).ti. and (tun$5) and (schmitt or hyster$4) and (@rlad<"20030222" or @ad<"20030222" or @ptad<"20030222")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 15:49
S16	1	((auto or automat$5 or electrical$5 or self or continu$6) near2 (select$4 or tun$4 or adjust$4 or compensat$4 or offset$5 or (off adj set$5) or calibrat$5) near2 (LNA or (Low adj2 noise adj2 amplif$4))) and (schmitt or hyster$4) and (@rlad<"20030222" or @ad<"20030222" or @ptad<"20030222")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/30 09:23
S17	5	((auto or automat$5 or electrical$5 or self or continu$6) near2 (select$4 or tun$4 or adjust$4 or compensat$4 or offset$5 or (off adj set$5) or calibrat$5) near2 (LNA or (Low adj2 noise adj2 amplif$4))) and (@rlad<"20030222" or @ad<"20030222" or @ptad<"20030222")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/21 08:42
S19	66	(((auto or automat$5 or electrical$5 or self) near4 (select$4 or tun$4 or adjust$4 or compensat$4 or offset$5 or (off adj set$5) or calibrat$5)) near4 (LNA or (Low adj2 noise adj2 amplif$4))).ti. and (@rlad<"20030222" or @ad<"20030222" or @ptad<"20030222")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/30 14:08
S21	16	("3581210" | "4030035" | "4553105" | "5034819" | "5134707" | "5276904" | "5280643" | "5465408").PN. OR ("5638141").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/05/30 13:05
S23	8	((sensit$7 or auto or automat$5 or electrical$5 or self) near2 (select$4 or tun$4 or adjust$4 or compensat$4 or offset$5 or (off adj set$5) or calibrat$5) near2 (LNA or (Low adj2 noise adj2 amplif$4))) and (@rlad<"20030222" or @ad<"20030222" or @ptad<"20030222")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/30 14:11

EAST Search History

S24	7	((diode with switch$5) same (LNA or (low adj noise adj amplifier))) and (schmitt or hyster$4) and (@rlad<"20030222" or @ad<"20030222" or @ptad<"20030222")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/30 14:26
S28	243	((auto or automat$5 or electrical$5 or self or continu$6 or sensiti$6) near4 (select$4 or tun$4 or adjust$4 or compensat$4 or offset$5 or (off adj set$5) or calibrat$5 or control$5) near4 (LNA or (Low adj2 noise adj2 amplif$4))) and (@rlad<"20030222" or @ad<"20030222" or @ptad<"20030222")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/21 08:44
S29	18	S28 and (schmitt or hyster$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/21 08:46
S30	30	(@rlad<"20030222" or @ad<"20030222" or @ptad<"20030222") and ((transistor or switch$5) with base with emitter with (collector near4 ground$5)) and ((LNA or (Low adj2 noise adj2 amplif$4)) with (transistor or switch$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/21 09:15
S36	3	(@rlad<"20030222" or @ad<"20030222" or @ptad<"20030222") and (LNA or (Low adj2 noise adj2 amplif$4)) and ((diode with antenna with amplif$6) same (diode with amplif$6 with tun$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/21 10:04
S37	37	(@rlad<"20030222" or @ad<"20030222" or @ptad<"20030222") and ((diode with antenna with amplif$6) same (diode with amplif$6 with tun$5)) and ((diode near5 antenna) same (diode near5 of tun$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/21 15:45
S38	22	(@rlad<"20030222" or @ad<"20030222" or @ptad<"20030222") and (LNA or (Low adj2 noise adj2 amplif$4)) and ((diode with antenna with amplif$6) same (diode with amplif$6 with (tun$5 or filter)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/21 11:07

EAST Search History

S40	0	(@rlad<"20030222" or @ad<"20030222" or @ptad<"20030222") and ((LNA or (Low adj2 noise adj2 amplif$4)) with control$5 with (method or apparatus)) and ((LNA or amplif$5) with on with off)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/21 11:15
S41	32	(@rlad<"20030222" or @ad<"20030222" or @ptad<"20030222") and ((LNA or (Low adj2 noise adj2 amplif$4)) and ((LNA or amplif$5) with on or activat$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/21 11:16
S42	15	(@rlad<"20030222" or @ad<"20030222" or @ptad<"20030222") and ((LNA or (Low adj2 noise adj2 amplif$4)) with (control$5 or tun$5) with (method or apparatus)) and ((LNA or amplif$5) with (on or activat$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/22 13:44
S43	130	(diode and antenna and amplif$6 and (tun$5 or filter$3))	JPO	OR	ON	2006/06/21 15:46
S44	123	S43 and @pd<"20030222"	JPO	OR	ON	2006/06/21 16:35
S45	5	S44 and (LNA or (low adj2 amplif$6))	JPO	OR	ON	2006/06/21 15:47
S46	1	(@rlad<"20030222" or @ad<"20030222" or @ptad<"20030222") and ((emitter near5 (logic$5 or compar$6)) with (collector near4 ground$5)) and (LNA or (Low adj2 noise adj2 amplif$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/21 16:39
S47	29	(@rlad<"20030222" or @ad<"20030222" or @ptad<"20030222") and ((emitter with (logi$5 or compar$6 or determin$5)) with (collector near4 ground$5)) and (LNA or (Low adj2 noise adj2 amplif$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/21 16:55
S48	167	(@rlad<"20030222" or @ad<"20030222" or @ptad<"20030222") and (((emitter with (logi$5 or compar$6 or determin$5)) with (collector near4 ground$5)) same amplif$7)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/22 10:57

S49	139	S48 not S47	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/21 16:56
S50	929	455/245.2.ccls. or 455/249.1.ccls. or 725/68.ccls. or 348/735.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/22 16:25
S54	152	S50 and (diode same amplif$7)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/22 14:09
S55	1327	455/232.1.ccls. or 455/234.1.ccls. or 455/234.2.ccls. or 4558/280.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/22 16:27
S56	21566	330/250-311.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/22 16:28
S57	260	(LNA or (low adj noise adj amplifier)) same (switch$3 with transistor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/22 16:43
S58	69	(S55 or S56) and S57	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/22 16:30

EAST Search History

S59	45	S58 and (@rlad<"20030222" or @ad<"20030222" or @ptad<"20030222")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/22 16:53
S60	0	(S55 or S56) and (LNA same (tuner tuning) same (second near2 diode))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/22 16:44
S61	3	(LNA same (tuner tuning) same (second near2 diode))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/22 16:44
S62	32	(LNA or (low adj noise adj amplifier)) same (tuner tuning) same (diode)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/22 16:53
S63	25	S62 and (@rlad<"20030222" or @ad<"20030222" or @ptad<"20030222")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/22 16:57
S64	3	(S55 or S56) and S63	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/22 16:57